


**Amendments to the Claims:**

This listing of the claims will replace all prior versions and listings of claims in the application:

**Listing of Claims:**

1. to 28. (Canceled)


29. (Original) A polyester polyolefin composition represented by the formula



wherein each R<sup>1</sup> is independently selected from hydrogen and C<sub>1-8</sub> alkyl radicals; R<sup>2</sup> is selected from hydrogen, methyl, ethyl, and vinyl radicals; x is an integer from about 3 to about 7; and n is an integer from 2 to about 15.

30. (Original) The composition of Claim 29 wherein each R<sup>1</sup> and R<sup>2</sup> is hydrogen, x is 7, and n is 3, and the composition consists essentially of the triglyceride ester of 9-decenoic acid.

31. (Original) A polyester polyepoxide composition represented by formula:




wherein each R<sup>1</sup> is independently selected from hydrogen and C<sub>1-8</sub> alkyl radicals; R<sup>2</sup> is selected from hydrogen, methyl, ethyl, and vinyl radicals; x is an integer from about 3 to about 7; and n is an integer from 2 to about 15.

32. (Original) The composition of Claim 31 wherein each R<sup>1</sup> and R<sup>2</sup> is hydrogen, x is 7, n is 3, and the composition consists essentially of the triglyceride ester of 9,10-epoxydecanoic acid.

33. to 36. (Canceled)

37. (Original) An  $\alpha,\omega$ -polyester polyol composition represented by formula:




wherein each R<sup>1</sup> is independently selected from hydrogen and C<sub>1-8</sub> alkyl radicals; R<sup>2</sup> is selected from hydrogen, methyl, ethyl, and vinyl radicals; x is an integer from about 3 to about 7; and n is an integer from 2 to about 15.

38. (Original) The composition of Claim 37 wherein each R<sup>1</sup> and R<sup>2</sup> is hydrogen, x is 7, and n is 3; and the composition consists essentially of the triglyceride of 11-hydroxyundecanoic acid.

39. to 42. (Canceled)

43. (Original) An  $\alpha,\omega$ -polyester polyamine composition represented by formula:



wherein each R<sup>1</sup> is independently selected from hydrogen and C<sub>1-8</sub> alkyl radicals; R<sup>2</sup> is selected from hydrogen, methyl, ethyl, and vinyl radicals; x is an integer from about 3 to about 7; and n is an integer from 2 to about 15.

44. (Original) The composition of Claim 43 wherein each R<sup>1</sup> and R<sup>2</sup> is hydrogen, x is 7, n is 3; and the composition consists essentially of the triglyceride of 11-aminoundecanoic acid.

45. to 51. (Canceled)